



MAXXI-3T

Floor Standing Tri-Temp Water Dispenser

Features

- Display Screen
 - User-friendly touch panel design makes drinking water easier and simpler. tempered glass LED touch panel, safe and sleek: highly scratch resistance, waterproof and dustproof.
 - Smart voice guidance and intelligence water supply control. equipped with LED Indicator light and LED digital display: cold, ambient & hot temperature, time and date
 - Hot water safety lock.
 - Reboil button to heat up the water.
 - User can preset hot water temperature and machine will not if water temperature has not reached preset temp.
 - Unique coated outer cabinet: rust resistant and fingerprint proof.
- Hidden faucet spout.
- Water heating exchange system, saving energy and make sure the water has been boiled.



Display Screen:

Safe and tempered glass display/touch panel, high gloss, anti-scratch and wear-resistant. the panel is reinforced with waterproof treatment to stand humid environment

Front lower panel, front upper panel frame, left and right side panels:

Color steel coated panel

Front panel and drip tray:

ABS material + powder coated. One piece front panel is easy to clean. Built-in drip tray with drain connecting.

Base:

Polypropylene impact resistant material / anti-injury foot base



Water Option:

Deliver ambient temperature ,hot and cold water.



Hot

Ambient

Cold



Technical Spec

Settings:

Time to continuously dispense water

Filter cartridge replacement indicator

Turn off energy saving

Turn off buzzer sound

- Safety features: water leak detection, automatically shuts down power in case of overheating or electric leakage, automatically shuts down in case of water shortage
- Hot water capacity: 20L tank supplying 15L/hour @ 90C or more. rated power: 1500W
- Cold water capacity: 10L tank supplying 10L/hour @4-12C. rated power: 150W

- Optional RO system (400GPD) or green filter system
- Optional cold and hot water exchanging system: cools down boiling water to be supplied to warm or cold water. Without exchanging system, the warm/cold water comes directly from filtered water
- Filtration system certified by NSF international against NSF/ANSI standard 42 and 53
- Certified ISO 9001:2015
- CE certified

PROUDLY CERTIFIED BY



Model	MAXXI-3T
Dimensions (cms)	43(L) x 55(W) x 132(H)
Water Tank (Litres)	Hot: 20L Ambient: 10L Cold: 10L
Water Supply	Municipal Water
Power / Hz	220V ~/ 50Hz
Flow Rate & Water Temperature	Hot: 60.5L/H (90 °C +/- 5°C) 25.5L/H (90 °C or above) Cold: 18L/H (15 °C +/- 10°C) 8L/H (10 °C -1°C)
Watt	Hot: 1500w Cold: 150w



บริษัท ฟิลเตอร์ วิชั่น จำกัด (มหาชน)
Filter Vision Public Company Limited

📍 95 ซอยรามอินทรา 117 ถ.รามอินทรา แขวงมีนบุรี เขตมีนบุรี กรุงเทพฯ ประเทศไทย 10510

☎ +662 518 2722 🌐 www.filtervision.co.th 📱 @filtervision